



MODEL Indeterminate,according to the original design name voltage Customer's OEM specifications are welcome

TYPE	APPLICATIONS	DIAMANSION(mm)
ET44	Power Converter & Charger Main Transformers and Chokes,etc.	46 Max. 34 Max. 5±0. 2  1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
ET49	Power Converter & Charger Main Transformers and Chokes,etc.	56 Mmx. 58 Max. BOTTOM 10 + 17 + 17 + 17 + 17 + 17 + 17 + 17 +
PQ32&30	Power Converter & Charger Main Transformers and Chokes,etc.	- 33 Max 35 Max 1
DR2W8X10	Power Converter & Communication Filters, Chokes, Oscillating Coils and Various Inductors,etc.	10 Max 5±0. 3 5±0.
DR2W9X12	Power Converter & Communication Filters, Chokes, Oscillating Coils and Various Inductors,etc.	11 Max. — 5±0.3
DR2W16X18	Power Converter & Communication Filters, Chokes, Oscillating Coils and Various Inductors,etc.	18. 5 Max. ————————————————————————————————————


MODEL Indeterminate,according to the original design name voltage Customer's OEM specifications are welcome



MODEL Indeterminate,according to the original design name voltage Customer's OEM specifications are welcome



MODEL Indeterminate, according to the original design name voltage Customer's OEM specifications are welcome



MODEL
Indeterminate, according to the original design name voltage
Customer's OEM specifications are welcome